

**RHRC Consortium Monitoring and Evaluation Program  
Safe Motherhood among Repatriated Guatemalan Refugees  
Marie Stopes Mexico**

**DUMMY TABLES FOR REPORTING RESULTS OF  
BASELINE SURVEY – DRAFT**

<b>Part I: Socio-Demographic Profile of Respondents</b>								
<b>Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico</b>								
<b>Characteristic</b>	<b>Women</b>		<b>Men</b>		<b>Total</b>		<b>Reference Population</b>	
	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>	<b>n</b>	<b>%</b>
<b>Sample Size</b>								
<b>Age of respondents</b>								
15-29								
30-45								
▪ Mean age								
<b>Education of respondents</b>								
None								
1-4 years								
More than 4 years								
▪ Mean years of education								
<b>Marital status</b>								
Married or regular partner								
No regular partner								
Never had partner								
<b>Duration in site</b>								
< 1 year								
1 year or more								
<b>Religion</b>								
Catholic								
Christian								
<b>Occupation</b>								
<b>Nationality</b>								
Mexican								
Guatemalan								
<b>Current migration status</b>								
Refugee/integrated (Guatemalan in Mex)								
Repatriated (Guat in Guat)								
Displaced (Mexican in Mex)								
<b>Language/Ethnic group</b>								
<b>Number of living children</b>								
0								
1-3								
4 or more								
▪ Mean number living children								

**Notes**

- Other categories than those listed here for the responses (e.g., age groupings) may be more appropriate.
- The column for 'Reference Population' is not required, but it is useful if the information is available. The reference figures could be for Mexico or for Chiapas.

Part II: Antenatal Care and Delivery Practice (women respondents only)		
Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico		
Characteristic	Women	
	n	%
Currently pregnant		
Have child under 2 years old		
<i>Of women with child under 2 years:</i>		
<b>Number of antenatal visits, last pregnancy</b> 0 1-2 3 or more ▪ Mean number of antenatal visits		
<b>Time of 1<sup>st</sup> antenatal visit, last pregnancy</b> Month 1 Month 2 Month 3 Month 4 Month 5 Month 6 Month 7 Month 8 Month 9 ▪ Mean month of 1 <sup>st</sup> antenatal visit  1 <sup>st</sup> trimester 2 <sup>nd</sup> trimester 3 <sup>rd</sup> trimester		
<b>Person seen at last antenatal visit</b> Doctor, nurse Trained partera Untrained partera Family, friend, other		
<b>Problems during last pregnancy</b> None ***  <b>Action taken for problem</b> Hospital, health center, health post Partera Other Nothing		
<b>Site of last delivery</b> Hospital, health center, health post Home Other  <b>Attendant at last delivery</b> Doctor, nurse Trained partera Untrained partera Family, friend, other ▪ Trained attendant at last delivery (doctor, nurse, trained partera)		
<b>Know trained partera in community</b>		

Part III: Knowledge, Attitudes and Behavior Regarding Family Planning Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico						
Characteristic	Women		Men		Total	
	n	%	n	%	n	%
<b>Respondents who know contraceptive methods (prompted)</b>						
Pill						
Injection						
IUD						
Condoms (male)						
Condoms (female)						
Spermicide						
Implant						
Abortion						
Surgery (male or female sterilization)						
Natural methods						
Traditional methods						
Other						
▪ Know 2 or more modern methods						
▪ Know no methods						
<b>Respondents who know source of contraceptives (prompted)</b>						
Marie Stopes fixed clinic						
Marie Stopes mobile clinic						
Hospital						
Health center, health post						
Pharmacy, market, plaza						
Partera						
Friend, partner						
Private						
Bars, social centers						
School						
Other						
▪ Know 2 or more sources						
▪ Know no source						
<b>Respondents currently using contraceptive, by method</b>						
Pill						
Injection						
IUD						
Condoms (male)						
Condoms (female)						
Spermicide						
Implant						
Abortion						
Surgery (male or female sterilization)						
Natural methods						
Traditional methods						
Other						
▪ Using any modern method						
▪ Using any traditional method						

Part III: Knowledge, Attitudes and Behavior Regarding Family Planning Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico						
Characteristic	Women		Men		Total	
	n	%	n	%	n	%
<b>Respondents who ever used contraceptive, by method</b>						
Pill						
Injection						
IUD						
Condoms (male)						
Condoms (female)						
Spermicide						
Implant						
Abortion						
Surgery (male or female sterilization)						
Natural methods						
Traditional methods						
Other						
▪ Ever used any modern method						
▪ Ever used any traditional method						
<b>Respondents' last source of contraceptives</b>						
Marie Stopes fixed clinic						
Marie Stopes mobile clinic						
Hospital						
Health center, health post						
Pharmacy, market, plaza						
Partera						
Friend, partner						
Private						
Bars, social centers						
School						
Other						
▪ Reporting any source						
<b>Reasons for non-use of modern contraceptives</b>						
Want more children						
No supplies/staff at health center						
Against religion						
Partner objects						
Side effects, fear of side effects						
Don't like FP						
Don't know enough about it, don't know where to go						
No partner (not sexually active)						
Using FP/ sterile/ pregnant						
<b>Desire for additional children</b>						
Yes						
No						
Mean number desired						
▪ Want to stop or delay next child						
<b>Reasons for deciding how many children to have</b>						
Good for the mother						
Good for the children						
Helps economic situation of family						
Other						
▪ Cite at least 1 reason						
<b>Intend to use FP in future</b>						
<b>Ever discussed FP with partner</b>						
<b>Ever attended FP education</b>						
<b>Ever interrupted a pregnancy</b>						

Part IV: Awareness and Use of Marie Stopes Mexico Services						
Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico						
Characteristic	Women		Men		Total	
	n	%	n	%	n	%
Are aware of fixed clinic site						
Are aware of mobile clinic						
Have ever attended fixed clinic						
Have ever attended mobile clinic						
Know trained partera in own community						
Have ever received visit from trained partera						



**Part V: Women Respondents' Antenatal and Delivery Practices, by Socio-Demographic Characteristics**  
**Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico**

**o Women**

Characteristic	Currently pregnant		Had at least 2 antenatal visits		Had 1 <sup>st</sup> antenatal visit in 1 <sup>st</sup> trimester		Had trained attendant at last delivery					
	n	%	n	%	n	%	n	%				
<b>Age of respondents</b> 15-29 30-45												
<b>Education of respondents</b> None 1-4 years More than 4 years												
<b>Duration in site</b> Less than 1 year 1 year or more												
<b>Religion</b> Catholic Christian												
<b>Nationality</b> Mexican Guatemalan												
<b>Occupation</b> [Group into 2-4 categories]												
<b>Marital status</b> Married or regular partner No regular partner Never had partner												
<b>Number of children</b> 1-3 4 or more												
<b>Awareness of MSM services</b> Know MSM services Do not know MSM												
<b>Use of MSM services</b> Have ever used MSM Never used MSM												

**Note:**

For all cross-tabulations, response categories must be collapsed/recoded before analysis and reporting. For example, the Occupation responses must be merged into a maximum of 4 categories before running Cross-Tabs. The suggested categories here should be revised during data analysis.

**Note: The following crosstabulations should be run separately for women and men.**

**Part VI: Respondents' Family Planning Knowledge, Attitudes and Practices, by Socio-Demographic Characteristics  
Baseline Survey, Maternidad segura en poblacion retornada guatemalteca, Marie Stopes Mexico**

Women

Men

Characteristic	Know at least 2 modern methods		Know at least 2 sources of modern methods		Currently using modern method		Ever used modern method		Want to stop or delay next child		Cite at least 1 reason for deciding # of children		Discussed FP with partner	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
<b>Age of respondents</b> 15-29 30-45														
<b>Education of respondents</b> None 1-4 years More than 4 years														
<b>Duration in site</b> Less than 1 year 1 year or more														
<b>Religion</b> Catholic Christian														
<b>Nationality</b> Mexican Guatemalan														
<b>Occupation</b> [Group into 2-4 categories]														
<b>Marital status</b> Married or regular partner No regular partner Never had partner														
<b>Number of children</b> 1-3 4 or more														
<b>Awareness of MSM services</b> Know MSM services Do not know MSM														
<b>Use of MSM services</b> Have ever used MSM Never used MSM														